

ANDREA BEATTY RINIKER
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

October 20, 1987

Daniel C. Phillips
5315 Boulevard Ext. Road
Olympia, Washington 98501

Dear Mr. Phillips:

Ground Water Permit No. G 2-27071 P

Enclosed is Permit No. G 2-27071 P together with a form for filing Notice of Beginning of Construction when the work is started.

If you cannot start your project by September 1, 1989, you must contact this office.

Please read the enclosed information sheet as well as both sides of your permit.

Sincerely,

A handwritten signature in cursive script, appearing to read "Clark Haberman".

Clark Haberman
Resource Management
SOUTHWEST REGIONAL OFFICE

CH:sf

Enclosures

NOTE: PLEASE ADVISE OF ANY ADDRESS CHANGE

ECY 040-1-18
Rev. 6/78

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PERMIT

TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

- ☒ Surface Water (Issued in accordance with the provisions of Chapter 117, Laws of Washington for 1917, and amendments thereto, and the rules and regulations of the Department of Ecology.)
- ☐ Ground Water (Issued in accordance with the provisions of Chapter 263, Laws of Washington for 1945, and amendments thereto, and the rules and regulations of the Department of Ecology.)

PRIORITY DATE March 12, 1987	APPLICATION NUMBER S 2-27070	PERMIT NUMBER S 2-27070 P	CERTIFICATE NUMBER
NAME Daniel C. Phillips <i>ALAN DASHER / Damsa Broodstock, Inc</i>			
ADDRESS (STREET) 5315 Boulevard Ext. Road <i>10420-A 17345 AVE SW</i> (CITY) Olympia <i>Rochester</i> (STATE) Washington (ZIP CODE) 98501 <i>98579</i>			

The applicant is, pursuant to the Report of Examination which has been accepted by the applicant, hereby granted a permit to appropriate the following described public waters of the State of Washington, subject to existing rights and to the limitations and provisions set out herein.

PUBLIC WATER TO BE APPROPRIATED

SOURCE Unnamed Stream	MAXIMUM CUBIC FEET PER SECOND 5.0		MAXIMUM GALLONS PER MINUTE	MAXIMUM ACRE-Feet PER YEAR non-consumptive
TRIBUTARY OF (IF SURFACE WATERS) Skokomish River				
QUANTITY, TYPE OF USE, PERIOD OF USE non-consumptive fish propagation as needed				

LOCATION OF DIVERSION/WITHDRAWAL

APPROXIMATE LOCATION OF DIVERSION-WITHDRAWAL 350 feet East and 1320 feet North of the Southwest corner of Section 8.

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION) W $\frac{1}{2}$ SW $\frac{1}{4}$	SECTION 8	TOWNSHIP N. 21	RANGE, (E. OR W.) W.M. 4 W	W.R.I.A. 16	COUNTY Mason
---	--------------	-------------------	-------------------------------	----------------	-----------------

RECORDED PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)
-----	-------	------------------------------------

LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

The East 495' of the West 660' of the NW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 8, T. 21 N., R. 4 W.W.M. and that part of the East 495' of the West 660' of the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 8, T. 21 N. Range 4 W.W.M., lying Northerly of the middle branch of unnamed stream running across said Section 8, T. 21 N. R. 4 W.W.M., except from all foregoing public roads.

DESCRIPTION OF PROPOSED WORKS

Diversion from stream at a pumping plant. Water will be piped to raceways and rearing ponds then will be conveyed by gravity flow to settling ponds and then will be returned to the stream within 200 feet of the point of diversion.

DEVELOPMENT SCHEDULE

BEGIN PROJECT BY THIS DATE:	COMPLETE PROJECT BY THIS DATE:	WATER PUT TO FULL USE BY THIS DATE:
September 1, 1989	September 1, 1990	September 1, 1991
9-1-91	9-1-92	9-1-93
9/1/1995, 1996, 1997, 1998, 1999	1996, 1997, 1998, 1999	1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006
	PROVISIONS	

"This permit is issued subject to Washington Departments of Fisheries and Game screening criteria as outlined in a Hydraulic Project Approval. Please contact the Department of Fisheries (115 General Administration Building, Olympia, Washington 98504, Attention: Habitat Management Division, Phone (206) 753-6650; or the Department of Game, 600 N. Capitol, Olympia, Washington 98504, Attention: Habitat Management Division, Phone (206) 753-3318, to obtain specific requirements for your project."

At such time that the Department of Ecology determines the regulation and management of the subject waters is necessary and in the public interest, an approved measuring device shall be installed and maintained in accordance with RCW 90.03.360 and WAC 508-64-020 through WAC 508-64-040.

The Water Resources Act of 1971 specifies certain criteria regarding utilization and management of the waters of the State in the best public interest. Issuance of this permit was based on sufficient waters available, at least during portions of the year. However, it is pointed out to the permittee that his use of the water may be subject to regulation at certain times, based on the necessity to maintain water quantities sufficient for preservation of the natural environment.

This authorization to make use of public waters of the state is subject to existing rights, including any existing rights held by the United States for the benefit of Indians under treaty or otherwise.

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or fail to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Given under my hand and the seal of this office at Olympia, Washington, this 20th day of October, 19 87.

Andrea Beatty Riniker, Director
Department of Ecology

by *Clark Haberman*


Clark Haberman, Regional Manager

ENGINEERING DATA

OK *[Signature]*

S 227070

29 FEB. 1960 100 CR. RD.




Sec. 8 Twp. 21 N. R. 4W

S227070

N

W

E



S

1. Outline property described in application.
2. Show by a cross (X) the location of point of diversion (surface water source) or point of withdrawal (ground water source). For ground water applications, show by a circle (O) the locations of other wells or works within a quarter of a mile.
3. Indicate traveling directions from nearest town.

Scale: 1 inch = 800 feet (each small square = 10 acres)


TOWNSHIP 21 MASON

SCALE 2 IN. - 1 MILE
DATED MAY 1969

S 227070


19

24



SCALE 2 IN. - 1 MILE
DATED MAY 1969

left on Sunnyside Road
after crossing Skok
on 101



REPORT OF EXAMINATION
Routing Slip
Rev. 12/85

Ph-71.ps
File No.: G2-27071


	<u>Initial</u>	<u>Date</u>
Author	Sam	8-5-87
Technician		8-5-87
Typist	SFO	8-6-87
Proofed By	pu	8-14-87
Checked by Author	ca	8-14-87
Checked by Reviewer	WB	8-17-87
Typist	SFO	8-17-87
Proofed By	ca	8-17-87
Author's Signature	ca	8-17-87
Approval and Signature Regional Manager	ME	8/28/87
Mail Originals and cc's (Typist)	SS	9-9-87
Purge and File (Author)		

G227071


Application No.

Name

POB Location



Section



"40"

Project Status:

(Not started)

✓ (Started)

(Completed)

Type of system:

Pump capacity, Horsepower:

Uses: Irrigation-Acres:

Present

Planned

Feasible

Crop type:

Pumping duration (season)

Domestic (number) (type)

Stock (size herd)

Industrial (specific use)

Percent of time used

Non-consumptive uses

Municipal (population)(date)

Other

Other water rights (Certificates, claimed rights, irrig. declar)
appurtenant to this land

Proximity to existing wells, springs, streams:

Surface Water:

Other uses from same source

Flow measurement or estimate

Remarks:

Property covered by alder & maple
Neighbor to west well 500' + distance 29'

Examiner

Date of Exam

7-17-87

RESEARCH CHECKLIST

Closure list	()	Adjudication	()
Pin Map	()	Misc. Decrees	()
Metsker	()	Flood Zone	()
Computer Printout	()	Waste Discharge	()
Kardex	()	WPDES	()
Well Reports	()	Sewage & Waste	()
Claims	()	Air	()

JOSEPH R. BLUM
Director



STATE OF WASHINGTON
DEPARTMENT OF FISHERIES

115 General Administration Building • Olympia, Washington 98504 • (206) 753-6600 • (SCAN) 234-6600

August 27, 1987

Mr. Walt Bergstrom
Southwest Regional Office
Department of Ecology
7272 Clearwater Lane
Olympia, Washington 98504

Dear Mr. Bergstrom:

Surface Water Right Application S 227070;
Grant Water Right Application G 227071;
Applicant - Daniel C. Phillips, 5315 Boulevard
Extension Road, Olympia, Washington 98501;
Southwest 1/4 of Section 8, Township 21 North,
Range 4 West, Mason County, Unnamed Tributary
(Richert Springs) to Skokomish River, WRIA 16.0010

As last presented to us by the applicant, consultant, and Department of Ecology staff, we appear to have no objections to the proposed withdrawals.

Standard screening requirements will be included as a requirement on the Hydraulic Project Approval.

I apologize for the late response.

Sincerely,

A handwritten signature in cursive script that reads "Grant Fiscus".

Grant Fiscus
Regional Habitat Manager

cc: Water Right File

RECEIVED
87 AUG 31 PM 4:10
SW REGIONAL OFFICE